

Creation Date: 2008031414:00

WEST Search History for Application 10529333

manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226) not (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) not (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226)					
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226) and (mol? or (mol\$3 percent\$) or (mol\$1 .%.))	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226) and ((flux density) or (vol\$ resist\$) or (core loss))	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.))) not (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)))	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008
		ADJ	YES		03-14-2008

(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss))) and (nio or li2o or lio0.5)	EPAB, JPAB, DWPI				
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss))) not (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5))	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) or	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008

ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5)) and (ssa or surface area)					
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5)) and sa	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008
(((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5)) and sa	EPAB, JPAB, DWPI	ADJ	YES		03-14-2008

or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5)) not ((((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) and (ssa or surface area)) or (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and

manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) and (ssa or surface area) or ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) and sa)) not (((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or

(mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) and (ssa or surface area) or ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$)) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron

oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and (mol? or (mol\$3 percent\$) or (mol\$1 .%.)) not ((mn\$1zn or zn\$1mn or ((zn or zinc) near (mn or manganese)))) with ferrite and (fe2o3 or ferric oxide or iron oxide) or (mno or mn+2 or mn2+ or mn2 or manganous) with (zno or zn or zinc) with (fe2o3 or iron oxide or ferrous oxide) and (ferrite or magnet\$) and @pd<20031226 and ((flux density) or (vol\$ resist\$) or (core loss)) and (nio or li2o or lio0.5) and sa) and ((grain or particle or crystal\$) with (size or diameter)))					
--	--	--	--	--	--